

138. Persson, T., Yde, C.W., Rasmussen, J.E., Rasmussen, T.L., Guerra, B., Issinger, O.-G., and Nielsen J. (2007) Carboxyl and arboxamide pyrazoles as protein kinase inhibitors in corrupt eukaryotic signal transduction: Induction of growth arrest in MCF-7 cancer cells. Organic & Bioorganic Chemistry, in press
137. Yde, C.W., Frogne, T, Lykkesfeldt, AB, Fichtner, I., Issinger, O.-G., and Stenvang J. (2007) Induction of cell death in antiestrogen-resistant human breast cancer cells by the protein kinase CK2 inhibitor DMAT. Cancer Letters, 256, 229-237.
136. Yde, C.W., Gyrd-Hansen, M., Lykkesfeldt, A.E., Issinger, O.-G. and Stenvang, J. (2007) Breast cancer cells with acquired anti-estrogen resistance are sensitized to cisplatin-induced cell death. Mol. Cancer Therapeutics, 6, 1869-1876.
135. Niefind, K., Yde, C.W., Ermakova, I, and Issinger, O.-G. (2007) Evolved to be active: CK2alpha and its exceptional role within the CMGC family of eukaryotic protein kinases. J. Mol. Biol. 370, 427-438
134. Olsen, B.B., Neves-Petersen, T., Klitgaard, S., Issinger, O.-G., and Petersen S.B. (2007) UV-induced light illumination blocks EGFR signaling in human cancer cell lines. Int. J. Oncol. 30, 181-185
133. Yde, C.W. and Issinger, O.-G. (2006) Protein profiling of different human breast cancer cell lines in response to cisplatin treatment and validation of anti-apoptotic Bcl-2 as a target for enhancing cisplatin sensitivity. Int. J. Oncol. 29, 1397-1404.
132. Olsen, B.B., Pedersen J. and Issinger, O.-G. (2006) BID, substrate and interaction partner for protein kinase CK2 Biol. Chem. 387, 441-449.
131. Olsen, B.B., Boldyreff B., Niefind, K., and Issinger, O.-G. (2006) Purification and characterization of the CK2a'-based holoenzyme, an isozyme of CK2a: A comparative analysis. Protein Expression and Purification, 47, 651-661.
130. Skjøth, I.E.H. and Issinger, O.-G. (2006) Profiling of signaling molecules in four different human prostate carcinoma cell lines before and after induction of apoptosis. Int. J. Oncol., 28, 217-229.
129. Olsen, B., Niefind, K., and Issinger, O.-G. (2006) Inter- and Supramolecular Interactions of Protein Kinase CK2 and their Relevance for Genome Integrity in: Genome Dynamics and Stability, Facets of Genome Integrity, Springer Verlag, 315-342.
128. Seeber, S., Issinger, O.-G., Holm, T., Christensen, L.P., and Guerra, B. (2005) Validation of protein kinase CK2 as oncological target Apoptosis, 10, 875-885.
127. Bjørling-Poulsen, M., Meek, D, and Issinger, O.-G. (2005) CHK2 and HDM2 interact in vitro and in mammalian cells and HDM2 negatively affects the CHK2-mediated phosphorylation of p53. FEBS Lett. 579, 2604-2608.
126. Bjørling-Poulsen, M., Siehler, S., Wiesmüller, L., Meek, D., Niefind, K., and Issinger, O.-G. (2005) The regulatory beta-subunit of protein kinase CK2 negatively influences p53-mediated allosteric effects on CHK2 activation.

Oncogene, 24, 6194-6200.

125. Rasmussen, T., Jensen H.H., Niefind, K., Boldyreff, B., and Issinger O.-G. (2005) Biochemical characterization of the human homologues of *Drosophila* andante and timekeeper proteins. Mol. Cell. Biochem. 274, 151-161

124. Blond, O., Jensen, H.H., Buchou, T., Cochet, C., Issinger, O.-G., and Boldyreff, B. (2005) Knocking out the regulatory beta subunit of protein kinase CK2 in mice: gene dosage effects in ES cells and embryos. Mol. Cell. Biochem. 274, 31-37

123. Niefind, K. and Issinger, O.-G. (2005) Neglected and overseen aspects of CK2 structure. Mol. Cell. Biochem. 274, 3-14.

122. Yde C.W., Ermakova, I., Issinger, O.G., and Niefind K. (2005) Inclining the purine base binding plane in protein kinase CK2 by exchanging the flanking side-chains generates a preference for ATP as a cosubstrate. J. Mol. Biol. 347, 399-414

121. Kristensen, LP., Larsen, M.R., Højrup, P., Issinger, O.-G., and Guerra, B. (2004) Phosphorylation of the regulatory beta-subunit of protein kinase CK2 by CHK1: identification of the in vitro CK2 beta phosphorylation site. FEBS Lett. 569, 217-223.

120. Ermakova, I., Boldyreff, B., Issinger, O.-G., Niefind, K. (2003) Crystal structure of a C-terminal deletion mutant of human protein kinase CK2 catalytic subunit J. Mol. Biol. 330, 925-934

119. Olsen, B.B., Jessen V., Højrup, P., Issinger, O.-G., Boldyreff, B. (2003) Protein kinase CK2 phosphorylates the Fas-associated factor FAF1 in vivo and influences its transport into the nucleus. FEBS Letters 546, 218-222

118. Nastainczyk, W., Issinger, O.-G., Guerra, B. (2003) Identification of the antigenic determinant of monoclonal anti CK2alpha antibody 1AD9. Hybridoma, 22, 87-90.

117. Bjørling-Poulsen, M. and Issinger, O.-G. (2003) cDNA array analysis in gene expression in the promyelotic leukemia cell line, HL60, after apoptosis induction with etoposide. Apoptosis, 8, 377-388.

116. Guerra, B., Issinger, O.-G. and Wang, Y.J (2003) Modulation of human checkpoint kinase Chk1 by the regulatory β -subunit of protein kinase CK2. Oncogene 22, 4933-4942.

115. Bjørling-Poulsen, M., L. Seitz, G., Guerra, B. and Issinger, O.-G. (2003) Fas-associated factor 1 is specifically degraded in human stomach tumors. Int. J. Oncol. 23, 1015-1024.

114. Riera, M., Pages, M., Issinger O.-G, and Guerra, B. (2003) Purification and Characterization of recombinant Protein Kinase CK2 from *Zea mays* Expressed in *E. coli*. Protein Expression and Purification, 29, 24-32.

113. Buchou T., Vernet, M., Blond, O., Jensen, H.H., Pointu, H., Olsen, B.B., Cochet, C., Issinger, O.-G., Boldyreff, B. (2003) Disruption of the regulatory beta-subunit of protein kinase CK2 in mice leads to a cell-

autonomous defect and early embryonic lethality.
Mol. Cell Biol. 23, 908-915.

112. Tchorzewski, M., Krokowski, D., Rzeski, W., Issinger, O.-G. and Grankowski, N. (2003) The subcellular distribution of the human ribosomal "stalk" components: P1, P2 and P0 proteins.
Int. J. Biochem. & Cell. Biol. 35, 203-211.

111. Andersen, T.E., Finsen, B., Goffinet, A.M., Issinger, O.-G., and Boldyreff B. (2002) A reeler mutant mouse with a new, spontaneous mutation in the reelin gene.
Brain Res. Molecular Brain Res. 105, 153-156.

110. Kalmykova, A.I., Shevelyov, Y.Y., Polesskaya, O.O., Dobritsa, A.A., Evstafieva, A.G., Boldyreff, B., Issinger, O.-G., and Gvozdev, V.A. (2002) CK2 β tes gene encodes a testis-specific isoform of the regulatory subunit of casein kinase 2 in *Drosophila melanogaster*.
Eur. J. Biochem. 269, 1418-1427.

109. Guerra, B., Boldyreff, B., Issinger, O.-G. (2001) Fas-associated factor 1 interacts with protein kinase CK2 in vivo upon apoptosis induction.
Int. J. Oncol. 19, 1117-1126.

108. Guerra, B., Niefind, K., Ermakowa, I., and Issinger, O.-G. (2001) Characterization of CK2 holoenzyme variants with regards to crystallization,
Mol. Cell. Biochem. 227, 3-11.

107. Niefind, K., Guerra, B., Ermakowa, I., Issinger, O.-G. (2001) Structure of human CK2: insights into basic properties of the CK2 holoenzyme.
EMBO J 20, 5320-5331.

106. Hjerrild, M., Milne, D., Dumaz, N., Hay, T., Issinger, O.-G., and Meek, D. (2001) Phosphorylation of MDM2 at serine 267 by protein kinase CK2 in vitro and in cultured cells.
Biochem.J. 355, 347-356.

105. Roher, N., Miro, F., Boldyreff, B., Plana, M., Issinger, O.-G., and Itarte, E. (2001) The carboxy-terminal domain of human grp94 protects the catalytic subunit of protein kinase CK2 (CK2 α) against thermal aggregation. Role of disulphide bonds.
Eur. J. Biochem. 268, 423-436.

104. Kriajevska, M., Bronstein, I., Scott, D., Tarabykina, S., Fischer-Larsen, M., Issinger, O.-G, Lukanidin, E. (2000) Metastasis-associated Mts1 (S100A4) inhibits CK2-mediated phosphorylation and self-assembly of the heavy chain of nonmuscle myosin. *Biochim. Biophys. Acta*, 1498, 252-263.

103. Battistutta, R., Sarno, S., De Moliner, E., Marin, O., Issinger, O.-G., Zanotti, G., and Pinna, L.A. (2000) The dimeric structure of the alpha-subunit in complex with two beta-peptides reveals an intriguing mechanisms for tetramerization.
Eur.J. Biochem. 267, 5184-5190.

102. Niefind, K., Guerra, B., Ermakowa, I., and Issinger, O.-G. (2000) Crystallization and Characterization of Crystals of Human Protein Kinase CK2 Holoenzyme.
Acta Crystallographica, Section D, 56, 1680-1684.

101. Tchorzewski, M., Boldyreff, B., Issinger, O.-G., and Grankowski, N. (2000) analysis of the protein-protein interactions between the human acidic ribosomal P-proteins: evaluation by the two hybrid system.
Int. J. Biochem. & Cell. Biol. 32, 737-746.

100. Sayed, M., Kim, S. O., Baljinder, S. S., Issinger, O.-G., and Pelech, S. (2000) Stress Induced Activation of Protein Kinase CK2 by direct interaction with p38 MAP Kinase. *J. Biol. Chem.* 275, 16569-16573.
99. Nielsen, J., Lyngsø, L.O., and Issinger, O.-G. (1999) Benzoylaminopyrimidine derivatives as potential protein kinase inhibitors. Danish Patent nr. PA 199901893
98. Guerra, B., Siemer, S., Boldyreff, B. and Issinger, O.-G. (1999) Protein kinase CK2: evidence for a protein kinase CK2 β -subunit fraction, devoid of the catalytic CK2 α -subunit, in mouse brain and testicles. *FEBS Lett.* 462, 353-357
97. Peracchia, G., Jensen, A.B., Cullianez-Macia, F.A., Grosset, J., Goday, A., Issinger, O.-G., and Pages, M. (1999) Characterization, subcellular localization and nuclear targeting of casein kinase 2 from *Zea mays*. *Plant Mol. Biol.* 40, 199-211.
96. Niefind, K., Puetter, M., Guerra, B., Issinger, O.-G. and Schomburg, D. (1999) GTP plus water mimics ATP in the active site of protein kinase CK2. *Nature Structural Biology* 6, 1100-1103.
95. Siemer, S., Ørnskov, D., Boldyreff, B., Guerra, B., and Issinger, O.-G. (1999) Cisplatin and carboplatin induce apoptosis in murine teratocarcinoma cell line F9: characterization of p53, MDM2 and protein kinase CK2 status. *Int. J. of Biochem. & Cell Biol.* 31, 661-670.
94. Guerra, B., Boldyreff, B., Sarno, S., Cesaro, L., Issinger, O.-G., and Pinna, L. A. (1999) CK2: A protein kinase in need of control. *Pharm. & Therap.* 82, 303-313.
93. Guerra, B. and Issinger, O.-G. (1998) p53 and the ribosomal protein L5 participate in high molecular mass complex formation with protein kinase CK2 in murine teratocarcinoma cell line F9 after serum stimulation and cisplatin treatment. *FEBS Lett.* 434, 115-120.
92. Kusk, M., Ahmed, R., Thomsen, B., Bendixen, C., Issinger, O.-G., and Boldyreff, B. (1998) Interactions of protein kinase CK2beta subunit within the holoenzyme and with other proteins. *Molecular and Cellular Biochemistry*, 191, 51-58
92. Niefind, K., Guerra, B., Pinna, L.A., Issinger, O.-G., and Schomburg, D. (1998) Crystal structure of the catalytic subunit of protein kinase CK2 from *Z. Mays* at 2.1Å resolution. *EMBO J.*, 17, 2451-2462.
91. Guerra, B., Niefind, K., Pinna, L.A., Schomburg, D., and Issinger O.-G. (1998) Expression, purification and crystallization of the catalytic subunit of protein kinase CK2 from *Zea Mays*. *Acta Crystallographica, D54*, 143-145
90. Winter, B., Kautzner, I., Issinger, O.-G., Arnold, H.-H. (1997) Two putative protein kinase CK2 phosphorylation sites are important for Myf-5 activity. *Biol. Chem.* 378, 1445-1456
89. Sarno, S., Marin, O., Meggio, F., Issinger, O.-G. and Pinna, L.A. (1997) Basic residues in the 74-77 and 191-198 segments of protein kinase CK2 catalytic subunit are implicated in negative but not in positive

regulation by the beta-subunit.
Eur. J. Biochem. 248, 290-295

88. Sarno, S., Vaglio, P., Marin, O., Issinger, O.-G., Ruffato, K., and Pinna, L.A. (1997) Mutational analysis of residues implicated in the interaction between protein kinase CK2 and peptide substrates.
Biochemistry 36, 11717-11724

87. Boldyreff, B. and Issinger, O.-G., (1997) The regulatory subunit of protein kinase CK2 is a specific A-Raf activator.
FEBS Lett. 403, 197-199

86. Guerra, B., Götz, C. Wagner, P., Montenarh, M, and Issinger, O.-G. (1997) The carboxy terminus of p53 mimicks the polylysine effect of protein kinaseCK2-catalyzed MDM2 phosphorylation.
Oncogene 14, 2683-2688

85. Koenig, M. G., Sturm, D., Prowald, A., Issinger, O.-G. and Montenrah, M. (1997) Interaction of p53 with protein kinase CK2 during SV40 induced entrance of quiescent cells into the cell cycle.
Int. J. Oncol. 10, 405-411.

84. Sarno, S., Vaglio, P., Meggio, F., Issinger, O.-G., and Pinna, L. A. (1996) Protein kinase CK2 mutants defective in substrate recognition: purification and kinetic analysis .
J. Biol. Chem. 271, 10595-10601.

83. Siemer, S., Stalter, G., Ziegler, M., and Issinger, O.-G. (1996) Characterization of protein kinase CK2 in human kidney tumours.
Aktuelle Urologie, 27, 1-5.

82. Biondi, R.M., Engel, M., Sauane, M., Welter, C., Issinger, O.-G., Asua, L.J., and Passeron, S. (1996) Inhibition of nucleoside diphosphate kinase activity by in vitro phosphorylation by protein kinase CK2. Differential phosphorylation of NDP kinases in HeLa cells in culture.
FEBS Lett. 399, 183-187.

81. Biondi, R. M., Walz, K., Issinger, O.-G., Engel, M., and Passeron, S. (1996) Discrimintion between acid and alkali labile phosphorylated residues on immobiol: phosphorylation sutdies for nucleoside diphosphate kinase.
Analyt. Biochem. 242, 165-171.

80. Vaglio, P., Sarno, S., Marin, O., Meggio, F., Issinger, O.-G., and Pinna, L.A. (1996) Mapping the residues of protein kinase CK2 subunit responsible for responsiveness to polyanionic inhibitors.
FEBS Lett. 380, 25-28.

79. Boldyreff, B., Mietens, U., and Issinger, O.-G. (1996) Structure of protein kinase CK2: dimerization of the human beta-subunit.
FEBS Lett. 379, 153-156.

78. Sarno, S., Vaglio, P., Meggio, F., Issinger, O.-G., and Pinna, L.A. (1996) Protein kinase CK2 mutants defective in substrate recognition.
J. Biol. Chem. 271, 10595-10601.

77. Götz, C., Wagner, P., Issinger, O.-G., and Montenarh, M. (1996) p21^{WAF1/CIP1} interacts with protein kinase CK2.
Oncogene, 13, 391-398.

76. Rosorius, O., Issinger, O.-G., and Braulke, T. (1996) Brain-specific interaction of a 91-kDa membrane-bound protein with the cytoplasmic tail of the 300-kDa mannose-6-phosphate receptor. *Biochem. Biophys. Res. Commun.* 221, 525-530

75. Issinger, O.-G. (1995) Casein kinase 2 (rmCK-2, Zea mays), in: *The Protein Kinase Factsbook*, ed. Hardie D.G. and Hanks, S.K., Academic Press. 249-251

74. Siemer, S., Kriener, S., Remberger, K., and Issinger, O.-G. (1995) Influence of indomethacin and difluoromethylornithine on human tumor growth in nude mice. *Eur. J. Canc.* 31A, 976-981
73. Nastainczyk, W., Schmidt-Spaniol, I., Boldyreff, B. and Issinger, O.-G. (1995) Isolation and characterization of a monoclonal anti protein kinase CK2 β subunit antibody of the IgG class for the direct detection of CK2 β subunit in tissue cultures of various mammalian species and human tumors. *Hybridoma* 14, 335-339
72. Boldyreff, B. and Issinger, O.-G. (1995) Structure of the gene encoding the murine protein kinase CK2. *Genomics* 29, 253-256
71. Bozzetti, M. P., Massari, S., Finelli, P., Meggio, F., Pinna, L., Boldyreff, B., Issinger, O.-G., Palumbo, G., Ciriaco, C., Bonacorsi, S., and Pimpinelli, S. (1995) The Ste locus, a component of the cry-Ste selfish system of *D. melanogaster*, encodes a protein mimicking some properties of the β -subunit of protein kinase CK2. *Proc. Natl. Acad. Sci. USA* 92, 6067-6071
70. Meggio, F., Boldyreff, B., Marin, O., Issinger, O.-G., and Pinna, L.A. (1995) Phosphorylation and activation of protein kinase CK2 by p34cdc2 are independent events. *Eur. J. Biochem.* 230, 1025-1031
69. Marin, O., Meggio, F., Boldyreff, B., Issinger, O.-G., and Pinna, L. A. (1995) Dissection of the dual function of the β -subunit of protein kinase CK2 ("casein kinase-2"). A synthetic peptide reproducing the carboxyl terminal domain, mimicks the positive but not the negative effects of the whole protein. *FEBS Lett.* 363, 111-114
68. Siemer, S., Ziegler, M., Remberger, K., and Issinger, O.-G. (1995) Influence of indomethacin and alpha-difluoromethylornithine on renal tumor growth and protein kinase CK2 activity in nude mice. *Cancer J.* 8, 26-29.
67. Sarno, S., Boldyreff, B., Marin, O., Guerra, B., Meggio, F., Issinger, O.-G., and Pinna, L. A. (1995) Mapping the residues of protein kinase CK2 implicated in substrate recognition. Alanine scan mutagenesis of conserved basic residues in the alpha-subunit. *Biochem. Biophys. Res. Commun.* 206, 171-179.
66. Hoffman, U., Boldyreff, B., and Issinger, O.-G. (1995) Characterization of three pseudogenes from murine protein kinase CK2 alpha. *Biochim. Biophys. Acta*, 1260, 337-340.
65. Schmidt-Spaniol, I. and Issinger, O.-G. (1994) Bestimmung der Proliferation von CHO-AA8-Zellen nach cisplatin-Behandlung mit Hilfe des 5-Bromo-2'-deoxy-uridine Labeling and Detection Kit III. *Boehringer Mannheim Biochemica Information* 94, 16-17.
64. Engel, M., Issinger, O.-G., Lascu, I., Seib, T., Dooley, S., Zang, K.D., and Welter, C. (1994) Phosphorylation of NM23/nucleoside diphosphate kinase by CK2 in vitro. *Biochem. Biophys. Res. Commun.* 199, 1041-1048.
63. Boldyreff, B., Meggio, F., Pinna, L.A., and Issinger, O.-G. (1994) Protein kinase CK2 structure-function relationship: effects of the β - subunit on reconstitution and activity. *Cell. Mol. Biol. Res.* 40, 391-399
62. Küpper, M., Köster, M Schmidt-Spaniol, I., Wagner-Gillen, I, and Issinger, O.-G. (1994)

Characterization of protein kinase CK2 protein subunits and p53 in F9 teratocarcinoma cells in the absence and presence of cisplatin.
Cell. Mol. Biol. Res. 40, 587-592

61. Stalter, G., Siemer, S., Becht, E., Ziegler, M., Remberger, K., and Issinger, O.-G. (1994)
Asymmetric distribution of CK-2 subunits in human kidney tumours when compared to the ipsilateral control tissue.
Biochem. Biophys. Res. Commun 202, 141-147

60. Schmidt-Spaniol, I. Grimm, B., and Issinger, O.-G. (1994) Subcellular localization of CK-2 subunits and β in synchronized Swiss 3T3 cells.
Molecular and Cellular Biology Research 39, 761-772

59. Meggio, F., Boldyreff, B., Issinger, O.-G., and Pinna, L. A. (1994) Calmodulin phosphorylation by CK-2 and responsiveness to polybasic effectors are deeply affected by mutations of the β -subunit involving the acidic cluster 55-64.
Biochemistry 33, 4336-4342

58. Singh, S., Jantke, I., Simon, M., Meybohm, I., Boldyreff, B., Issinger, O.-G., and Goedde, H. W. (1994)
Pst1 identifies a biallelic DNA polymorphism of human casein kinase 2 gene.
Hum. Genet. 93, 474

57. Wagner, P., Appel, K., Issinger, O.-G., and Montenarh, M. (1994) On the interaction of p53 with CK-2.
International Journal of Oncology 4, 491-498

56. Boldyreff, B., Meggio, F., Pinna, L. A., and Issinger (1994): Efficient autophosphorylation and phosphorylation of the β -subunit by CK-2 require the integrity of an acidic cluster 50 residues downstream from the phosphoacceptor site.
J. Biol. Chem. 269, 4827-4831

55. Mestres, P. Boldyreff, B., Epensberger, C., Hameister, H., and Issinger, O.-G., (1994): Expression of CK-2 during mouse embryogenesis.
Acta Anatomica 149, 13-20

54. Boldyreff, B., James, P., Staudenmann, W., and Issinger, O.-G. (1993) Ser2 is the autophosphorylation site in the β -subunit from bicistronically expressed human CK-2 and from native rat liver CK-2 β .
Eur. J. Biochem. 218, 515-521.

53. Boldyreff, B., Meggio, F., Pinna, L. A. and Issinger, O.-G. (1993): CK-2 structure-function relationship: Reconstitution of normal and hyperactivating forms of CK-2 β by variably mutated recombinant β -subunits.
Biochemistry, 32, 12672-12677

52. Grankowski, N., Gasior, E., and Issinger, O.-G. (1993) Synthetic peptides and ribosomal proteins as substrates for 60S ribosomal protein kinase from yeast cells.
Biochim. Biophys. Acta 1158, 194-196

51. Rosorius, O., Issinger, O.-G., and Bräulke, T. (1993) Phosphorylation of the cytoplasmic tail of the 300-kDa mannose 6-phosphate receptor is required for the interaction with a cytoplasmic protein.
J. Biol. Chem. 268, 21470-21473.

50. Meggio, F., Boldyreff, B., Issinger, O.-G., and Pinna, L. A. (1993) The autophosphorylation and p34cdc2 phosphorylation sites of CK-2- β -subunit are not essential for reconstituting fully active heterotetrameric holoenzyme.

Biochim. Biophys. Acta, 1164, 223-225.

49. Rosorius, O., Mieskes, G., Issinger, O.-G., Körner, C., Schmidt, B., v. Figura, K., and Braulke, T. (1993) Characterization of phosphorylation sites in the cytoplasmic domain of the 300 kDa mannose 6-phosphate receptor.

Biochem. J., 292, 833-838.

48. Boldyreff, B., Meggio, F., Dobrowolska, G., Pinna, L. A., and Issinger, O. G. (1993): Expression and characterization of a recombinant maize CK-2 subunit.

Biochim. Biophys. Acta 1173, 32-38.

47. Lorenz, A., Herrmann, C. P., Issinger, O. G., and Montenarh, M. (1992): Phosphorylation of wild-type and mutant phenotypes of p53 by an associated protein kinase.

Int. J. Oncol., 1, 571-579.

46. Boldyreff, B., Meggio, F., Pinna, L. A., and Issinger, O. G. (1992): CK-2 structure function relationship: 1. creation of a set of mutants of the β -subunit that variably surrogate the wildtype β -subunit function.

Biochem. Biophys. Res. Commun. 188, 228-234.

45. Grässer, F. A., Göttel, S., Haiss, P., Boldyreff, B., Issinger, O. G., and Müller-Lantzsch, N. (1992): Phosphorylation of the Epstein-Barr virus nuclear antigen 2.

Biochem. Biophys. Res. Commun., 186, 1694-1701

44. Boldyreff, B., Wehr, K., Hecht, R., and Issinger, O. G. (1992): Identification of four genomic loci highly related to CK-2 cDNA and characterization of a CK-2 pseudogene within the mouse genome.

Biochem. Biophys. Res. Commun. 186, 723-730

43. Meggio, F., Boldyreff, B., Marin, O., Marchiori, F., Perich, J. W., Issinger, O. G., and Pinna, L. A. (1992): The effect of polylysine on CK-2 activity is influenced by both the structure of the protein/peptide substrates and subunit composition of the enzyme.

Eur. J. Biochem. 205, 939-945

42. Boldyreff, B., Klett, C., Göttert, E., Geurts van Kessel, A., Hameister, H., and Issinger, O. G. (1992): Assignment of casein kinase 2 sequences to two different human chromosomes.

Human Genetics 89, 79-82

41. Schmidt-Spaniol, I., Boldyreff, B., and Issinger, O. G. (1992): Isolation and characterization of a monoclonal anti CK-2 β -subunit of the IgG1 subclass.

Hybridoma 11, 53-59

40. Meggio, F., Boldyreff, B. S., Marin, O., Pinna, L. A. and Issinger, O. G. (1992): CK-2: role of the β -subunit on the stability and specificity of the recombinant reconstituted holoenzyme.

Eur. J. Biochem. 204, 293-297

39. Issinger, O. G., Brockel, C., Boldyreff, B.S., and Pelton, J. T. (1992): Effects on the secondary structure of recombinant casein kinase II β and α subunits after reconstitution in vitro by far-UV circular dichroism.

Biochemistry 31, 6098-6103

38. Dobrowolska, G., Boldyreff, B., and Issinger, O. G. (1991): Cloning and sequencing of CK-2 α subunit from *Zea mays*.

Biochim. Biophys. Acta 1129, 139-140

37. Grankowski, N., Boldyreff, B., and Issinger, O. G. (1991): Isolation and characterization of recombinant human CKII subunits and from bacteria. *Eur. J. Biochem.* 198, 25-30.

36. Boldyreff, B., Piontek, K., Schmidt-Spaniol, I., and Issinger, O. G. (1991): The beta-subunit of CK II: cloning of cDNAs from murine and porcine origin and expression of the porcine sequence as a fusion protein. *Biochim. Biophys. Acta* 1088, 439-441.

35. Pistorius, K., Seitz, G., Remberger, K., and Issinger, O. G. (1991): CK II is sequentially elevated in colonic mucosa and neoplasias (adenoma/carcinoma sequence). *Onkologie* 14, 256-260

34. Menzel, A., Lagoda, P., and Issinger, O. G. (1990): Hypervariable individual-specific DNA banding pattern revealed by a 22mer promoter-specific oligonucleotide probe containing an SP1 binding site. *Nucleic Acids Res.* 18, 4287

33. Türeci, Ö., Fischer, H., Lagoda, P., and Issinger, O. G. (1990): Characterization of human glioblastoma cell lines in vitro and their xenografts in nude mice by DNA fingerprinting. *Onkologie* 13, 305-308

32. Grankowski, N. and Issinger, O. G. (1990): Subcellular localization of CK-1. *Biochem. Biophys. Res. Commun.* 167, 471-476

31. Münstermann, U., Fritz, G., Seitz, G., Yiping, L., Schneider, H. R., and Issinger, O. G. (1990): CK II is elevated in solid tumours and rapidly proliferating non-neoplastic tissue. *Eur. J. Biochem.* 189, 251-257

30. Lagoda, P. J. L., Seitz, G., Epplen, T. J., and Issinger, O. G. (1989): Increased detectability of somatic changes in the DNA from human tumours after probing with "synthetic" and "genome-derived" hypervariable multilocus probes. *Hum. Genet.* 84, 35-40

29. Schneider, H. R., and Issinger, O. G. (1989): Growth-dependent modulation of CK II in primary cell cultures and HeLa cells. *Biochim. Biophys. Acta* 1014, 98-100.

28. Seitz, G., Münstermann, U., Schneider, H. R., and Issinger, O. G. (1989): Characterization of casein kinase II in human colonic tumours after heterotransplantation into nude mice. *Biochem. Biophys. Res. Commun.* 163, 635-641

27. Schneider, H. R., Mieskes, G., and Issinger, O. G. (1989): Specific dephosphorylation by phosphatases 1 and 2A of a nuclear protein structurally and immunologically related to nucleolin. Possible influence on the regulation of rRNA synthesis. *Eur. J. Biochem.* 180, 449-455

26. Schneider, H. R., and Issinger, O. G. (1988): Nucleolin (C23), a physiological substrate for casein kinase II. *Biochem. Biophys. Res. Commun.* 156, 1390-1397.

25. Issinger, O. G., Martin, T., Richter, W. W., Olson, M., and Fujiki, H. (1988): Hyperphosphorylation of N-60, a fragment of nucleolin after tumour treatment.

EMBO J. 7, 1621-1626.

24. Schneider, H. R., Reichert, G. H., and Issinger, O. G. (1986): Enhanced CK-II activity during mouse embryogenesis: identification of a 110 kDa phosphoprotein as the major phosphorylation product in mouse embryos and Krebs II mouse ascites tumour cells.

Eur. J. Biochem. 161, 733-738.

23. Richter, W. W. and Issinger, O. G. (1986): Differential heat shock response of primary human cell cultures and established cell lines

Biochem. Biophys. Res. Commun. 141, 46-52.

22. Rance, A., Thönnies, M., and Issinger, O.G. (1985): Ribosomal protein S6 phosphorylation and morphological changes in response to the tumour promoter TPA in primary and human tumour cells, established and transformed cell lines.

Biochim. Biophys. Acta 847, 128-131

21. Reichert, G. and Issinger, O.G.(1985): In vitro study on the biological activity of RNAs after incubation of hog liver, heart and brain tissue at room temperature.

Biochimie 67, 657-661.

20. Prowald, K., Fischer, H., and Issinger, O.G. (1984): Enhanced casein kinase II activity in human tumour cell cultures.

FEBS Letters 176, 479-483

19. Unteregger, G., Zang, K. D., and Issinger, O. G. (1983): Nuclear proteins in human meningiomas.

Electrophoresis 4, 303-311.

18. Richter, W. W., Zang, K. D., and Issinger (1983): Influence of hyperthermia on the phosphorylation of ribosomal protein S6 from human skin fibroblasts and meningioma cells.

FEBS Letters 153, 262-266.

17. Beier, H., Issinger, O.G., Deuschle, M. and Mundry, K.W. (1981): Translation of the RNA of cowpea severe mosaic virus in vitro and in cowpea protoplasts.

J. Gen. Virol. 54, 379-390.

16. Reichert, G. and Issinger, O.G. (1981): Characterization of native 40S particles from Krebs II mouse ascites tumour cells. Resolution, nomenclature, and molecular weight of the non ribosomal proteins.

Biochim. Biophys. Acta 654, 268-278.

15. Beier, H., Mundry, K. W., and Issinger, O. G. (1981): In vivo and in vitro translation of the RNAs of four tobamoviruses.

Intervirology 14, 292-299

14. Reichert, G., Schuck, J. and Issinger, O.G. (1981): Phosphorylation in vivo of non ribosomal proteins from native 40S ribosomal particles of Krebs II mouse ascites tumour cells.

Biochem. J. 194, 1007-1009.

13. Issinger, O. G., Beier, H., Speichermann, S., Flokerzi, V., and Hofmann, F. (1980): Comparison of phosphorylation of ribosomal proteins from HeLa and Krebs II mouse ascites tumour cells by cAMP- and cGMP-regulated protein kinases.

Biochem. J. 185, 89-99.

12. Issinger, O. G. and Reichert, G. (1979): Characterization of native 40S particles from Krebs II mouse ascites tumour cells. I. Phosphorylation in vitro of non ribosomal proteins by acAMP-independent protein kinase.
Biochem. Biophys. Res. Commun. 88, 1275-1283.
11. Issinger, O. G. and Beier, H. (1978): Characterization of ribosomal proteins from HeLa and Krebs II mouse ascites tumour cells by different two-dimensional polyacrylamide gel electrophoresis techniques.
Molec. Gen. Genet. 160, 297-309.
10. Issinger, O. G. (1977): Purification and properties of a ribosomal casein kinase from rabbit reticulocytes.
Biochem. J. 165, 511-518.
9. Issinger, O.G. (1977): Phosphorylation of acidic proteins from rabbit reticulocytes by a ribosome-associated casein kinase.
Biochim. Biophys. Acta 477, 185-189.
8. Issinger, O. G. and Falk, H. (1976): Comparative studies of the structural proteins of T3 and T7 phages.
Arch. Virol. 52, 217-231
7. Issinger, O. G., Benne, R., Hershey, J. W. P., and Traut, R. R. (1976): Phosphorylation in vitro of eukaryotic initiation factors IF-2 and IF-3 by protein kinases.
J. Biol. Chem. 251, 6471-6474
6. Issinger, O. G., Kiefer, M. C., and Traut, R. R. (1975): Specificity of ATP-dependent and GTP-dependent protein kinases with respect to ribosomal proteins of *E. coli*.
Eur. J. Biochem. 59, 137-143.
5. Issinger, O. G. and Traut, R. R. (1974): Selective phosphorylation from GTP of proteins L7 and L12 of *E. coli* 50S ribosomes by a protein kinase from rabbit reticulocytes.
Biochem. Biophys. Res. Commun. 59, 829-836.
4. Issinger, O. G. and Hausmann, R. (1973): Synthesis of bacteriophage-coded products during infection of *E. coli* with amber mutants of T3 and T7 defective in gene 1.
J. Virol. 11, 465-472.
3. Issinger, O.G., Beier, H., und Hausmann, R. (1973): In vivo and in vitro phenotypic mixing with amber mutants of phages T3 and T7 defective in gene 1.
J. Virol. 11, 465-472.
2. Issinger, O. G., Maass, I. und Clauß, M. (1971): Photosyntheseintensität der Stielregionen von *Acetabularia mediterranea*.
Planta 101, 360-364.
1. Dittrich, H. H. und Issinger, O. G. (1969): Zum Wirkungsmechanismus von Dichlofluanid.
Zeitschrift für Pflanzenkrankheiten 76, 651-663.

Reviews

15. Guerra, B. and Issinger, O.-G. (1998) Protein kinase CK2 and its role in cellular proliferation and pathology.
Electrophoresis, 20, 391- 408.
14. Issinger, O.-G. (1993) Casein Kinases, Pleiotropic Mediators of Cellular Regulation
Pharmaceuticals and Therapeutics 59, 1-30
13. Boldyreff, B. and Issinger, O.-G. (1993) Proteinkinase und zelluläre Proliferation.
Onkologie Aktuell 9, 1-8
12. Boldyreff, B., Lu, Y., and Issinger, O. G. (1991): CK II, eine proliferationsassoziierte Proteinkinase beim Nieren- und Blasen-tumor.
Onkologie Aktuell 8, 124-129
11. Issinger, O.-G. and Boldyreff, B. (1992) Abnormal casein kinases
in: Recent Adv. in Cell. & Mol. Biol. 4, 17-22.
10. Pinna, L. A., Meggio, F., Marin, O., Perich, J. W., Boldyreff, B., and Issinger, O. G. (1992): Casein kinases: an atypical class of ubiquitous and pleiotropic protein kinases.
In: Adenine Nucleotides in Cellular Energy Transfer and Signal Transduction, eds. S. Papa, A. Azzi & J. M. Tager, Birkhäuser Verlag, Basel, Schweiz
9. Pistorius, K., Seitz, G., Remberger, K., and Issinger, O. G. (1990): Differential CKII activities in human colonic mucosa, polyps and carcinomas.
In: Issinger, O. G., Henke, J., Driesel, A. J. (eds.) Advances in molecular genetics, Hüthig Verlag Heidelberg, 3, 103-110
8. Menzel, A., Lagoda, P. J. L., and Issinger, O. G. (1990): DNA fingerprinting by a 22mer promoter-specific oligonucleotide probe containing an SP1 binding site. In: Issinger, O. G., Henke, J., Driesel, A. J. (eds.) Advances in molecular genetics, Hüthig Verlag Heidelberg, 3, 147-159
7. Boldyreff, B., Grankowski, N., Gebhard, R., and Issinger, O. G. (1990): Cloning and expression of casein kinase II.
In: Issinger, O. G., Henke, J., Driesel, A. J. (eds.) Advances in molecular genetics, Hüthig Verlag Heidelberg, 3, 95-101
6. Boldyreff, B., Schneider, H. R., Traffa, K., Fritz, G., Seitz, G., and Issinger, O. G. (1990): CKII, a pleiotropic mediator of proliferation and oncogenesis. In: Kömpf, J., Henke, J., Driesel, A. J. (eds.). Advances in molecular genetics, Hüthig Verlag Heidelberg, 2, 91-98
5. Lagoda, P. L., and Issinger, O. G. (1989): Detection of possible DNA polymorphism in human tumour biopsy material using different minisatellite probes.
Advances in molecular genetics, Hüthig Verlag Heidelberg, 1, 115-121
4. Schneider, H. R., and Issinger, O. G. (1989): CKII, a multifunctional protein kinase and its role during proliferation.
Biotec Europe 6, 82-88
3. Issinger, O. G., and Schneider, H. R. (1989): Proliferational control in human tumours and during embryogenesis.
The Journal of Clinical Laboratory 1, 94-103

2. Issinger, O. G., Martin T., and Schneider, H. R. (1989): Protein phosphorylation, a first step during tumour promotion.

The Journal of Clinical Laboratory 1, 85-93

1. Issinger, O. G., and Lagoda, P. (1989): Detection of possible DNA polymorphism in human tumour biopsy material using different minisatellite

probes. The Journal of Clinical Laboratory 1, 53-63